

1. Grammar symbols: Used cross reference.

Reference of each grammar's symbol used within each rule's productions. The index uses the tripple: rule name, its subrule no, and the symbol's position within the symbol string.

2. 0:.

RNUMBERS 1.1

3. 1:.

RNUMBERS 2.1

4. 2:.

RNUMBERS 3.1

5. 3:.

RNUMBERS 4.1

6. 4:.

RNUMBERS 5.1

7. 5:.

RNUMBERS 6.1

8. 6:.

RNUMBERS 7.1

9. 7:.

RNUMBERS 8.1

10. 8:.

RNUMBERS 9.1

11. 9:.

RNUMBERS 10.1

12. A:.

RUPPER_A_M 1.1

13. B:.

RUPPER_A_M 2.1

2 C:

identifier_idx.w §14

14. C:.
RUPPER_A_M 3.1

15. D:.
RUPPER_A_M 4.1

16. E:.
RUPPER_A_M 5.1

17. F:.
RUPPER_A_M 6.1

18. G:.
RUPPER_A_M 7.1

19. H:.
RUPPER_A_M 8.1

20. I:.
RUPPER_A_M 9.1

21. J:.
RUPPER_A_M 10.1

22. K:.
RUPPER_A_M 11.1

23. L:.
RUPPER_A_M 12.1

24. M:.
RUPPER_A_M 13.1

25. N:.
RUPPER_N_Z 1.1

26. O:.
RUPPER_N_Z 2.1

27. P:.
RUPPER_N.Z 3.1

28. Q:.
RUPPER_N.Z 4.1

29. R:.
RUPPER_N.Z 5.1

30. RUPPER_A_M:.
Rstart_char 1.1

31. RUPPER_N_Z:.
Rstart_char 2.1

32. Rid_suffix:.
Ridentifier 2.2

33. Rlower_a_m:.
Rstart_char 3.1

34. Rlower_n_z:.
Rstart_char 4.1

35. Rstart_char:.
Ridentifier 1.1 Ridentifier 2.1

36. S:.
RUPPER_N.Z 6.1

37. T:.
RUPPER_N.Z 7.1

38. U:.
RUPPER_N.Z 8.1

39. V:.
RUPPER_N.Z 9.1

40. W:.
RUPPER_N.Z 10.1

41. X:.
RUPPER_N.Z 11.1

42. Y:.
RUPPER_N.Z 12.1

43. Z:.
RUPPER_N.Z 13.1

44. a:.
Rlower_a.m 1.1

45. b:.
Rlower_a.m 2.1

46. c:.
Rlower_a.m 3.1

47. d:.
Rlower_a.m 4.1

48. e:.
Rlower_a.m 5.1

49. f:.
Rlower_a.m 6.1

50. g:.
Rlower_a.m 7.1

51. h:.
Rlower_a.m 8.1

52. i:.
Rlower_a.m 9.1

53. j:.

Rlower_a_m 10.1

54. k:.

Rlower_a_m 11.1

55. l:.

Rlower_a_m 12.1

56. m:.

Rlower_a_m 13.1

57. n:.

Rlower_n_z 1.1

58. o:.

Rlower_n_z 2.1

59. p:.

Rlower_n_z 3.1

60. q:.

Rlower_n_z 4.1

61. r:.

Rlower_n_z 5.1

62. s:.

Rlower_n_z 6.1

63. t:.

Rlower_n_z 7.1

64. u:.

Rlower_n_z 8.1

65. v:.

Rlower_n_z 9.1

6 W:

identifier_idx.w §66

66. w:.
Rlower_n.z 10.1

67. x:.
Rlower_n.z 11.1

68. y:.
Rlower_n.z 12.1

69. z:.
Rlower_n.z 13.1

70. |+|:.
Rid_suffix 1.1

71. Grammar Rules's First Sets.**72. *Ridentifier* # in set: 52.**

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z a b c d e f g h i j k
l m n o p q r s t u v w x y z

73. *Rid_suffix* # in set: 1.

|+|

74. *Rstart_char* # in set: 52.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z a b c d e f g h i j k
l m n o p q r s t u v w x y z

75. RUPPER_A_M # in set: 13.

A B C D E F G H I J K L M

76. RUPPER_N_Z # in set: 13.

N O P Q R S T U V W X Y Z

77. *Rlower_a_m* # in set: 13.

a b c d e f g h i j k l m

78. *Rlower_n_z* # in set: 13.

n o p q r s t u v w x y z

79. RNUMBERS # in set: 10.

0 1 2 3 4 5 6 7 8 9

80. LR State Network.

List of productions with their derived LR state lists. Their subrule number and symbol string indicates the specific production being derived. The “▷” symbol indicates the production's list of derived states from its closed state. Multiple lists within a production indicate 1 of 2 things:

- 1) derived string that could not be merged due to a lr(1) conflict
- 2) partially derived string merged into another derived lr states

A partially derived string is indicated by the “merged into” symbol \nearrow used as a superscript along with the merged into state number.

81. *Ridentifier*.

1 Rstart_char
▷ 1 54
2 Rstart_char *Rid_suffix*
▷ 1 54 56

82. *Rid_suffix*.

1 |+|
▷ 54 55

83. Rstart_char.

- 1 RUPPER_A_M
 - ▷ 1 57
- 2 RUPPER_N_Z
 - ▷ 1 58
- 3 Rlower_a_m
 - ▷ 1 59
- 4 Rlower_n_z
 - ▷ 1 60

84. RUPPER_A_M.

- 1 A
 - ▷ 1 2
- 2 B
 - ▷ 1 3
- 3 C
 - ▷ 1 4
- 4 D
 - ▷ 1 5
- 5 E
 - ▷ 1 6
- 6 F
 - ▷ 1 7
- 7 G
 - ▷ 1 8
- 8 H
 - ▷ 1 9
- 9 I
 - ▷ 1 10
- 10 J
 - ▷ 1 11
- 11 K
 - ▷ 1 12
- 12 L
 - ▷ 1 13
- 13 M
 - ▷ 1 14

85. RUPPER_N_Z.

- 1 N
 - ▷ 1 15
- 2 O
 - ▷ 1 16
- 3 P
 - ▷ 1 17
- 4 Q
 - ▷ 1 18
- 5 R
 - ▷ 1 19
- 6 S
 - ▷ 1 20
- 7 T
 - ▷ 1 21
- 8 U
 - ▷ 1 22
- 9 V
 - ▷ 1 23
- 10 W
 - ▷ 1 24
- 11 X
 - ▷ 1 25
- 12 Y
 - ▷ 1 26
- 13 Z
 - ▷ 1 27

86. Rlower_a_m.

1 a
▷ 1 28
2 b
▷ 1 29
3 c
▷ 1 30
4 d
▷ 1 31
5 e
▷ 1 32
6 f
▷ 1 33
7 g
▷ 1 34
8 h
▷ 1 35
9 i
▷ 1 36
10 j
▷ 1 37
11 k
▷ 1 38
12 l
▷ 1 39
13 m
▷ 1 40

87. Rlower_n.z.

1 n
 ▷ 1 41
 2 o
 ▷ 1 42
 3 p
 ▷ 1 43
 4 q
 ▷ 1 44
 5 r
 ▷ 1 45
 6 s
 ▷ 1 46
 7 t
 ▷ 1 47
 8 u
 ▷ 1 48
 9 v
 ▷ 1 49
 10 w
 ▷ 1 50
 11 x
 ▷ 1 51
 12 y
 ▷ 1 52
 13 z
 ▷ 1 53

88. List of reducing states.

The following legend indicates the type of reducing state.

Points 2–4 are states that must meet the lr(1) condition:

- 1) r — only 1 production reducing
- 2) r^2 — 2 or more reducing productions
- 3) s/r — shift and 1 reducing production
- 4) s/r^2 — shift and multiple reducing productions

\subset 2^r 3^r 4^r 5^r 6^r 7^r 8^r 9^r 10^r 11^r 12^r 13^r 14^r 15^r 16^r 17^r 18^r 19^r 20^r 21^r 22^r
 23^r 24^r 25^r 26^r 27^r 28^r 29^r 30^r 31^r 32^r 33^r 34^r 35^r 36^r 37^r 38^r 39^r 40^r 41^r
 42^r 43^r 44^r 45^r 46^r 47^r 48^r 49^r 50^r 51^r 52^r 53^r 54^{s/r} 55^r 56^r 57^r 58^r 59^r 60^r

89. Lr1 State's Follow sets and reducing lookahead sets.

Notes on Follow set expressions:

1) The "follow set" for rule uses its literal name and tags its grammar rule rank number as a superscript. Due to space limitations, part of the follow set information uses the rule's literal name while the follow set expressions refers to the rule's rank number. This \langle rule name, rule rank number \rangle tuple allows you the reader to decipher the expressions. Transitions are represented by S_xR_z whereby S is the LR1 state identified by its "x" subscript where other transient calculations occur within the LR1 state network. R indicates the follow set rule with the subscript "z" as its grammar rank number that contributes to the follow set.

The \nearrow^x symbol indicates that a merge into state "x" has taken place. That is, the reduced subrule that depends on this follow set finds its follow set in 2 places: its birthing state that generated the sequence up to the merged into state, and the birthing state that generated the "merged into" state. So the rule's "follow set" calculation must also continue its calculation within the birth state generating the "x merged into" state.

```

State: 1      Follow Set contributors, merges, and transitions
← Follow set Rule → ←          follow set symbols contributors          →
Ridentifier1
Local follow set yield:
  eolr.
← Follow set Rule → ←          follow set symbols contributors          →
Rstart_char3      R1.1.1 R1.2.1 S1R1
Local follow set yield:
  |+|.
← Follow set Rule → ←          follow set symbols contributors          →
RUPPER_A_M4      R3.1.1 S1R3
Local follow set yield:

← Follow set Rule → ←          follow set symbols contributors          →
RUPPER_N_Z5      R3.2.1 S1R3
Local follow set yield:

← Follow set Rule → ←          follow set symbols contributors          →
Rlower_a_m6      R3.3.1 S1R3
Local follow set yield:

← Follow set Rule → ←          follow set symbols contributors          →
Rlower_n_z7      R3.4.1 S1R3
Local follow set yield:

```

```

State: 54     Follow Set contributors, merges, and transitions
← Follow set Rule → ←          follow set symbols contributors          →
Rid_suffix2      R1.2.2 S1R1
Local follow set yield:

```

§90 identifier_idx.w

COMMON FOLLOW SETS 13

90. Common Follow sets.

91. LA set: 1.

eolr.

92. Index.

R₁ --- Ridentifier: 81.

R₂ --- Rid_suffix: 82.

R₃ --- Rstart_char: 83.

R₄ --- RUPPER_A_M: 84.

R₅ --- RUPPER_N_Z: 85.

R₆ --- Rlower_a_m: 86.

R₇ --- Rlower_n_z: 87.

Rid_suffix: 73.

Ridentifier: 72.

Rlower_a_m: 77.

Rlower_n_z: 78.

RNUMBERS: 79.

Rstart_char: 74.

RUPPER_A_M: 75.

RUPPER_N_Z: 76.

identifier_idx.w

Date: January 14, 2015 at 15:38

File: identifier_idx.w

Grammar symbols: Used cross reference	1	1
0:	2	1
1:	3	1
2:	4	1
3:	5	1
4:	6	1
5:	7	1
6:	8	1
7:	9	1
8:	10	1
9:	11	1
A:	12	1
B:	13	1
C:	14	2
D:	15	2
E:	16	2
F:	17	2
G:	18	2
H:	19	2
I:	20	2
J:	21	2
K:	22	2
L:	23	2
M:	24	2
N:	25	2
O:	26	2
P:	27	3
Q:	28	3
R:	29	3
RUPPER_A_M:	30	3
RUPPER_N_Z:	31	3
Rid_suffix:	32	3
Rlower_a_m:	33	3
Rlower_n_z:	34	3
Rstart_char:	35	3
S:	36	3
T:	37	3
U:	38	3
V:	39	3
W:	40	4
X:	41	4
Y:	42	4
Z:	43	4
a:	44	4
b:	45	4
c:	46	4
d:	47	4
e:	48	4
f:	49	4
g:	50	4
h:	51	4
i:	52	4

j:	53	5
k:	54	5
l:	55	5
m:	56	5
n:	57	5
o:	58	5
p:	59	5
q:	60	5
r:	61	5
s:	62	5
t:	63	5
u:	64	5
v:	65	5
w:	66	6
x:	67	6
y:	68	6
z:	69	6
+ :	70	6
Grammar Rules's First Sets	71	7
<i>Ridentifier</i> # in set: 52	72	7
<i>Rid_suffix</i> # in set: 1	73	7
<i>Rstart_char</i> # in set: 52	74	7
RUPPER_A_M # in set: 13	75	7
RUPPER_N_Z # in set: 13	76	7
<i>Rlower_a_m</i> # in set: 13	77	7
<i>Rlower_n_z</i> # in set: 13	78	7
RNUMBERS # in set: 10	79	7
LR State Network	80	7
Ridentifier	81	7
Rid_suffix	82	7
Rstart_char	83	8
RUPPER_A_M	84	8
RUPPER_N_Z	85	9
Rlower_a_m	86	10
Rlower_n_z	87	11
List of reducing states	88	11
Lr1 State's Follow sets and reducing lookahead sets	89	12
Common Follow sets	90	13
LA set: 1	91	13
Index	92	14